

Acknowledgments

Development and publication of these guidelines was supported by grants from Abbot Diagnostics, Diasorin, Inc., Bayer Diagnostics (formerly Chiron Diagnostics), Innogenetics, Inc., and Ortho Clinical Diagnostics.

The following individuals reviewed the guidelines at varying stages of their development and offered helpful comments and modifications: Miriam Alter, Henry C. Bodenheimer, Thomas D. Boyer, Max A Chernesky, Gary L. Davis, Jean C. Edmond, Stuart C. Gordon, Norman D. Grace, Lawrance A. Kaplan, Jacob Korula, Karen Lindsay, Brian J. McMahon, James R. Spivey, Thomas A Shaw-Stiffel, Myron Warshaw. The authors express particular thanks to F. Blaine Hollinger and Donald Jensen for their multiple reviews of the manuscript and their many helpful suggestions.

Specific comments were provided by the following individuals during open discussion at the AACC Annual Meeting: Ed Ashwood, Bill Brock, Thomas Burgess, Jack Goldberg, Ajit Golwkar, Neal Greenberg, Michael Heinz, Richard Horowitz, Graham Johns, Ronald Lee, Steve Lobell, Greg Post, Phil Rosenthal, Norbert Tietz, Mark Walter, Earl Weissman, William Winter, Jeffery Young